**Hai**vision

# Haivision Play Series High-Performance Software & Hardware Media Players

NO.1 200

8,000



Secure AES 128/256 bit encryption ensures only intended viewers can watch streams.



#### **High Quality** Delivers pristine quality at low bitrates making it ideal for Internet or satellite transport of video.



#### View Low-Latency SRT Streams

Haivision's highly efficient encoding and SRT video transport technologies assures quality-of-service when faced with packet loss, jitter, latency, and fluctuating bandwidth from unpredictable networks.



#### Up To 4K UHD Resolution

Playback up to 4K UHD live and on-demand video on the Haivision Play 4000 Set-Top Box and the Haivision Play app (on 4K compatible devices).



#### **No Server Required**

When used in standalone mode, no central server is necessary to play back compatible live video with most Haivision Play devices.\*



#### **Next-gen Compression**

Playback HEVC (H.265) video for up to 50% bandwidth reduction compared to H.264 on most Haivision Play devices.\*



#### Set-Top Box Management

Centrally control and schedule when and where your video is displayed - in hallways, public areas, conference rooms and auditoriums.



#### **Permission-Based Access**

Support for Active Directory, LDAP and SSO ensures that viewing permissions can be set and enforced to control access to live streams and VOD content.

Haivisior

\*Does not include the Haivision Play 1000 Set-Top Box.

info@haivision.com | North America: 1.877.224.5445 haivision.com | International: +1.514.334.5445

Copyright © 2018 Haivision. All rights reserved. All specifications are subject to change without notice. HVS-DS-PLY-180701



## **Overview & Platforms**

Haivision Play is a series of high-performance software and hardware media players that provide access to video streams, via the Haivision Media Platform for live and on-demand content or direct playback of live streams when used in standalone operation. A device specific Haivision Play software player is available as a free downloadable app for Apple iOS devices, Apple TV, and Android mobile devices. Haivision Play software comes pre-installed as the main application interface on the Haivision Play Set-Top Boxes.

#### A Shared and Secure Viewing Experience Across All Platforms

Haivision Play provides a common viewing experience across different platforms. When used with the Haivision Media Platform's permission management, Haivision Play ensures that content is only delivered to authorized users. Haivision Play supports video encryption from source to screen in order to secure sensitive content.

#### Versatile Use Across Multiple Locations

When used in standalone mode, Haivision Play for Mobile and the Haivision Play 2000/4000 Set-Top Boxes are directly tuned to video streams by the end user independently from the Haivision Media Platform.

When used with the Haivision Media Platform, Haivision Play Set-Top Boxes can be centrally managed across a multisite environment, allowing administrators to schedule live and VOD playback as well as changing channels and setting volume on one, some, or all Haivision Play Set-Top Boxes across an enterprise.

info@haivision.com | North America: 1.877.224.5445 haivision.com | International: +1.514.334.5445



## Haivision Play solves many of today's streaming challenges by delivering high performance video over the internet:


#### Haivision Play Standalone Applications:

- Low latency return feeds enable field producers, talent, and technicians to coordinate with the broadcast center
- Remote real-time monitoring
- Low latency broadcast to remote facilities
- Standalone operation no server required


#### **Centrally Managed Haivision Play Applications:**

- · Viewing of live channels, lineups, and on-demand content on any screen anywhere
- User authentication with individual and group access control
- Centralized control of set-top boxes
- Multi-stream capabilities

# Haivision Play Standalone Application



# **Centrally Managed Haivision Play Applications (via Haivision Media Platform)**





Copyright © 2018 Haivision. All rights reserved. All specifications are subject to change without notice. HVS-DS-PLY-180701

haivision.com | International: +1.514.334.5445

North America: 1.877.224.5445

info@haivision.com

	Haivision Play App		Haivision Play Set-Top Box	
	for Mobile	for Apple TV	1000	2000/4000
Standalone Operation	٠			٠
Centrally Managed with Haivision Media Platform			•	•
WHEN USED IN STANDALONE MODE				
Access independent SRT, HLS, and UDP unicast/multicast streams	٠			•
Create local playlists	٠			
Tune to a specific stream automatically on power-on start-up				•
Web in addition to on-screen interface for setup and configuration				•
Statistics displayable for independent streams	٠			
WHEN CENTRALLY MANAGED WITH HAIVISION MEDIA PLATFORM				
View Live & On-demand Content from Haivision Media Platform	٠	٠	٠	٠
Authenticated, encrypted, and tailored access for all individuals and groups controlled by Haivision Media Platform	۰	٠	٠	•
Centrally managed by Haivision Media Platform (through Device Manager)			•	٠
Contribute live feeds or local content to Haivision Media Platform	٠			
Adjustable picture-in-picture viewing experience from Haivision Media Platform	٠			
Number of streams displayed simultaneously from Haivision Media Platform	4*	2	1	1
Download content from Haivision Media Platform for offline viewing	٠			
View and jump to Hotmarks as inserted within Haivision Media Platform	٠	•	•	•
Display Closed Captioning	٠	٠	•	•
Access Haivision Media Platform demo site	٠	٠		
Local control via IR remote for channel selection and VOD playback		•	•	•
SUPPORTED STANDARDS				
SRT	٠			•
Multicast	٠		•	•
HLS	٠	•	•	•
H.264	٠	۰	•	•
HEVC	٠			•
HD	٠	٠	•	•
4К	٠	*		**
Release version as of publication	2.1.1	1.1.2	2.6.2	1.0.0

\*When used with Apple TV 4K

\*\*4 streams displayed simultaneously on iOS, 1 on Android

info@haivision.com | North America: 1.877.224.5445 haivision.com International: +1.514.334.5445

vailable on th





#### **Haivision Play for Mobile**

In today's fast paced business world, employees are often on-the-go. Haivision Play provides users with direct mobile access to SRT video streams or a Haivision Media Platform for live streaming events, IPTV channels and on-demand videos. Users have the flexibility to watch, contribute, and record directly from their mobile device, no matter where their work takes them. In addition, iOS users can upload content from their device's personal library and download videos for offline viewing. Haivision Play for Mobile is available for free on the Apple App Store and Google Play.

#### Haivision Play for Apple TV

With Haivision Play for Apple TV, users have an easy-to-use and easy-to-deploy option for viewing live and on-demand video content from any TV or monitor within an organization. Haivision Play takes full advantage of Apple TV's clean design, intuitive user interface and remote to enable easy search and browsing so users can access and watch authenticated, high quality content. The Haivision Play app for Apple TV is available for free on the Apple TV App store.

FEATURES	BENEFITS
Secure, high quality HD video	Enjoy the highest quality, lowest latency, HD video and audio
Access to all HMP content	Watch VOD content, live channels, multi-source sessions
Authentication & Permissions	Authenticated, encrypted, and controlled access for all individuals and groups
Flexible viewing options	Side-by-side, picture-in-picture, and quad screen viewing options (depending on the platform)
Powerful searchability	Rich metadata capabilities including geotags with uploads and "HotMarks" allowing users to find specific videos or important moments in a given video
Easy content contribution	Users can upload videos from their own device library or stream live directly from their mobile device
Accessibility	IPTV support for North American 608/708 Closed Captioning and alternative language tracks
Watermarking	Protect confidential and copyrighted material with text-based watermarking



Dual Screen View Available on iOS & Apple TV



**Remote Contribution** Available on iOS & Android



Available on iOS & Apple TV



Haivision

Watermarking Available on all platforms

# info@haivision.com

North America: 1.877.224.5445 haivision.com | International: +1.514.334.5445

Copyright © 2018 Haivision. All rights reserved. All specifications are subject to change without notice. HVS-DS-PLY-180701





Haivision Play 1000 Set-Top Box

Haivision Play 2000 Set-Top Box

Haivision Play offers a series of high-performance video player applications that provide enterprise video users with the flexibility to watch their video content on any screen. Haivision Play is available for mobile devices, managed set-top boxes, and Apple TVs.

### High-quality, Secure HD Video

The Haivision Play Set-Top Box series delivers unsurpassed performance, quality, security and reliability for group viewing of live and on-demand content including webcasts, all-hands events, internal IPTV, research, training and any other video-based enterprise application. The Haivision Set-Top Box can access live SRT streams as well as managed content from the Haivision Media Platform.

Pristine Video in HD & 4K With support for 4K in stand-alone mode and full HD video through the Haivision Media Platform, the Haivision Play Set-Top Box series provides a pristine viewing experience for video-based business and research applications. Moreover, the Haivision Play Set-Top Box 4000 can natively upscale 1080p content to sharp 2160p resolution, providing your organization with video content on 4K displays for ensuring the most pristine quality video, on any connected TV, today and for the future.

Central Control and Security When connected to the Haivision Media Platform, all Haivision Play Set-Top Box units can be centrally controlled and easily managed by system administrators to schedule playback, switch channels, set volume, even put STBs to sleep over nights or weekends. Access to all content is protected with AES 128/256-bit encryption along with the Haivision Media Platform's conditional access permissions, ensuring the right people are seeing what they're supposed to.

Easy Integration The Haivision Play Set-Top Box series is easy to integrate with AV displays in custom-designed rooms of all kinds. All Haivision Play Set-Top Boxes ship with an IR remote control and wall power plug, while the Haivision Play 2000 & 4000 include even more integrator friendly features such as PoE+ (power over ethernet), 3.5mm IR extender and RS-232. Pre-built templates are readily available for use with Crestron and Harmony remotes to make custom room integrations simple. There is a Haivision Play Set-Top Box to meet all you enterprise deployment needs.

FEATURES	BENEFITS
Central Management	Controlled by administrators using the Haivision Media Platform
1080p High-definition Video Streaming	Display content at up to 1080p for a high-quality viewing experience, or use the Haivision Play 4000's internal upscaler for 4K displays
Authentication & Permissions	Authenticated, encrypted, and tailored access for all individuals and groups
AES 128/256-bit Encryption	Guarantees content protection
HDMI 2.0	HDMI out for easy setup of HD live TV playback
Remote Control	Local control via IR remote for channel selection and VOD playback
Network Friendly	Supports multicast and unicast

info@haivision.com | North America: 1.877.224.5445 haivision.com | International: +1.514.334.5445

Haivision

Haivision

Haivision Play 1000 Set-Top Box



## Haivision Play 2000 Set-Top Box



## Haivision Play 4000 Set-Top Box



info@haivision.com | North America: 1.877.224.5445 haivision.com | International: +1.514.334.5445

Copyright © 2018 Haivision. All rights reserved. All specifications are subject to change without notice. HVS-DS-PLY-180701

VIDEO DECODING COMPRESSIONS STANDARDS MI			
MI			
	IPEG-2	MPEG-2	MPEG-2
M	IPEG-4 (H.264)	MPEG-4 (H.264)	MPEG-4 (H.264)
		HEVC (H.265) (Standalone Mode Only)	HEVC (H.265)
DECODING RESOLUTIONS			
			HEVC and H.264:
19	920x1080p 30/29.97/25 Hz	1920x1080p 60/59.94/50/30/29.97/25 Hz	3840x2160p 60/59.94/50/30/29.97/25/24 Hz
19	920x1080i 60/59.94/50w Hz	1920x1080i 60/59.94/50 Hz	4096x2160p 60/59.94/50/30/29.97/25/24/23.976 Hz
12	280x720p 60/59.94/50 Hz	1280x720p 60/59.94/50 Hz	HEVC, H.264 and MPEG-2:
72	20x480/576p 60/59.94/50 Hz	720x480/576p 60/59.94/50 Hz	1920x1080p 60/59.94/50/30/29.97/25 Hz
72	20x480/576i 60/59.94/50 Hz	720x480/576i 60/59.94/50 Hz	1920x1080i 60/59.94/50 Hz
12	280x1024 60 Hz	1600x1200 60 Hz	1280x720p 60/59.94/50 Hz
12	280x768 85/75/60 Hz	1280x1024 60 Hz	720x480/576p 60/59.94/50 Hz
10	024x768 85/75/60 Hz	1280x768 60 Hz	720x480/576i 60/59.94/50 Hz
		1024x768 60 Hz	1600x1200 60 Hz
			1280x1024 60 Hz
			1280x768 60 Hz
			1024x768 60 Hz
BIT RATES SE	D Video 500k to 20Mbps	Video bitrates up to 25Mbps with VBR peak up to 50Mbps.	4K Resolutions: Video bitrates up to 70 Mbps with VBR peak up to 100Mbps per decode.
Н	D video 500k to 20Mbps		HD Resolutions: Video bitrates up to 25Mbps with VBR peak up to 50Mbps per decode.
Cc	omputer 800k to 9Mbps		
AUDIO DECODING			
COMPRESSION STANDARDS			
M	IPEG1 Layer II ISO/IEC 11172-3	MPEG1 Layer II ISO/IEC 11172-3	MPEG1 Layer II ISO/IEC 11172-3
	IPEG-2 AAC-LC ISO/IEC 19818-7	MPEG-2 AAC-LC ISO/IEC 19818-7	MPEG-2 AAC-LC ISO/IEC 19818-7
	IPEG-4 AAC-LC ISO/IEC 14496-3	MPEG-4 AAC-LC ISO/IEC 14496-3	MPEG-4 AAC-LC ISO/IEC 14496-3
		AC3 Pass Through via HDMI	AC3 Pass Through via HDMI
AUDIO CHANNELS			
	per video channel	2 per video channel	2 per video channel
BIT RATES		oc libra ta 102 libra nan avalia nain	OC libra ta 102 libra nan avalia nain
	rom 32 to 448 kbps per audio pair	96 kbps to 192 kbps per audio pair	96 kbps to 192 kbps per audio pair
IP NETWORKING			
STANDARDS			
	J45	RJ45	RJ45
	thernet 10/100 Base-T, auto-detect, alf/Full-Duplex	Ethernet 10/100/1000 Base-T, auto-detect, Half-Full Duplex	Ethernet 10/100/1000 Base-T, auto-detect, Half-Full Duplex
St	tatic IP/DHCP	Static IP/DHCP	Static IP/DHCP
NETWORKING PROTOCOLS			
M	Iulticast Streaming	Multicast Streaming	Multicast Streaming
M	IPEG Transport Stream over UDP	MPEG Transport Stream over UDP	MPEG Transport Stream over UDP
FE	EC and 256-bit AES encryption support	FEC and 256-bit AES encryption support	FEC and 256-bit AES encryption support
	LS	HLS	HLS
I HL		IGMPv3	IGMPv3

info@haivision.com | North America: 1.877.224.5445 haivision.com International: +1.514.334.5445

# Tech Specs (Cont'd)

	Haivision Play 1000 Set-Top Box	Haivision Play 2000 Set-Top Box	Haivision Play 4000 Set-Top Box
MANAGEMENT INTERFA	CES		
STANDARDS			
	Management via IP using Haivision Media Platform Device Manager	Management via IP using Haivision Media Platform Device Manager	Management via IP using Haivision Media Platform Device Manager
	Local control via Infrared Remote Control and built-in IR receiver	Local control via Infrared Remote Control and built-in IR receiver	Local control via Infrared Remote Control and 3.5mm IR extension cable with receiver
		3.5mm IR extension cable with receiver.	
SIGNAL OUTPUT			
VIDEO			
	Composite NTSC/PAL Analog	HDMI Digital	HDMI Digital
	Y/Pb/Pr Component Analog		
	VGA Analog		
	HDMI Digital		
AUDIO			
	Unbalanced Stereo Analog	Unbalanced Stereo Analog	Unbalanced Stereo Analog
	HDMI Embedded Stereo Digital	HDMI Embedded Stereo Digital	HDMI Embedded Stereo Digital
PHYSICAL CHARACTERI	STICS		
POWER			
PoE		PoE (Type 1) 802.3af	PoE+ (Type 2) 802.3at
Wall Power	12V / 3A	optional, 12V / 1.5A (18 Watts)	optional, 12V / 3A (36 Watts)
DIMENSIONS			
Millimeters	161mm x 131mm x 39mm	160mm x 144.4mm x 21mm	204.2mm x 144.4mm x 21.9mm
Iches	6.34" x 5.16" x 1.54"	6.29" x 5.69" x 0.83"	8" x 7.1" x 0.86"
OPERATING TEMPERATURE			
Celcius	N/A	Ambient: 0°-70° @ 90% max relative humidity non-condensing	Ambient: 0°-70° @ 90% max relative humidity non-condensing
WEIGHT			
Grams	312g	364g	570g
Ounces	11 oz	12.8 oz	20 oz

# **Ordering Information\***

Name	SKU	Description
Haivision Play 1000 Set-Top Box	S-HMP-STB-01	Haivision Play Set-Top Box for Haivision Media Platform - 720p30/1080p30 HD, XGA, SD; H.264. Single HDMI, Component, VGA output; Single wired NIC. Includes IR remote control and built-in power supply.
Haivision Play 2000 Set-Top Box	S-PLAY-2000	Haivision Play Set-Top Box for Haivision Media Platform or as Stand-Alone Device - 1080p60; H.264/HEVC capable. Single HDMI; Single wired NIC. Includes IR remote control, optional IR extender, and optional power supply.
Haivision Play 4000 Set-Top Box	S-PLAY-4000	Haivision Play Set-Top Box for Haivision Media Platform or as Stand-Alone Device - 1080p60; 2160p for 4K upscaling; H.264/HEVC capable. Single HDMI; Single wired NIC. Includes IR remote control, required IR extender, and optional power supply.

\* For complete pricing and ordering, contact us at sales@haivision.com or your certified Haivision reseller.

info@haivision.com | North America: 1.877.224.5445 haivision.com International: +1.514.334.5445







www.haivision.com